

<h1>壁下地積算書</h1>	すべての図面
某病院 新棟増築工事	20XX/XX/XX

分類 (部屋)	部位	仕様	規格・寸法	記号	辺番号/長さ/(壁高)				長さ	高さ	面積	開口 面積	実 面積	補強 M	開口寸法				先行 金物	倍数	実数量				
															補強タイプ / W×H×処 / (補強高)↓						補強タイプ / W×H×処 / (補強高)↓				面積
1F																									
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k1	1				4.43	2.50	11.08	3.59	7.49	9.60	4	2.30	1.56	1				7.49	9.60	0.00	
				壁高→																					
壁下地	柱型	軽鉄下地 W=50 @303		k2	2	3			0.56	2.50	2.80		2.80									2.80	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k3	4				6.76	2.50	16.90		16.90									16.90	0.00	0.00	
				壁高→																					
壁下地	柱型	軽鉄下地 W=50 @303		k4	5	6			0.52	2.50	2.93		2.93									2.93	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k5	7				2.05	2.50	5.13	2.25	2.88	8.44	4	1.72	1.31	1				2.88	8.44	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k6	8				5.74	2.50	14.35		14.35									14.35	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k7	9				1.74	2.50	4.35	2.25	2.10	8.44	4	1.72	1.31	1				2.10	8.44	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k8	10				1.88	2.50	4.70		4.70									4.70	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k9	11				1.04	2.50	2.60		2.60									2.60	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k10	12	13			3.87	2.50	24.01	12.15	11.86	24.00	4	3.50	1.31	1				11.86	24.00	0.00	
				壁高→											4	3.50	2.16	1							
壁下地	フカシ壁	軽鉄下地 W=50 @303		k11	14				1.38	2.50	3.45		3.45									3.45	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k12	15	16			0.29	2.50	1.38		1.38									1.38	0.00	0.00	
				壁高→																					
壁下地	フカシ壁	軽鉄下地 W=50 @303		k13	17				2.02	2.75	6.06	4.75	1.31	7.93	3	1.93	2.46	1	3.00			1.31	7.93	0.00	
				壁高→	3.00																				

<h2>壁下地積算書</h2>	すべての図面
某病院 新棟増築工事	20XX/XX/XX

分類 (部屋)	部位	仕様	規格・寸法	記号	辺番号/長さ/(壁高)		長さ	高さ	面積	開口 面積	実 面積	補強 M	開口寸法				先行 金物	倍数	実数量			
													補強タイプ / W×H×処 /(補強高)↓		補強タイプ / W×H×処 /(補強高)↓				面積	補強 M	先行 金物	
壁下地	フカシ壁	軽鉄下地 W=50 @303		k14	18		1.85	2.75	5.55	4.17	1.38	9.52	4	1.76	2.37	1	3.00			1.38	9.52	0.00
						1.85																
壁下地	フカシ壁	軽鉄下地 W=50 @303		k15	19		1.56	2.50	3.90	1.89	2.01	7.88	4	1.44	1.31	1			2.01	7.88	0.00	
						1.56																
壁下地	柱型	軽鉄下地 W=50 @303		k16	20	21	1.01	2.50	2.52		2.52								2.52	0.00	0.00	
						0.50								0.51								
壁下地	フカシ壁	軽鉄下地 W=50 @303		k17	22		2.90	2.50	7.25		7.25								7.25	0.00	0.00	
						2.90																
壁下地	フカシ壁	軽鉄下地 W=50 @303		k18	23		0.92	2.50	2.30		2.30								2.30	0.00	0.00	
						0.92																
壁下地	フカシ壁	軽鉄下地 W=50 @303		k19	24		1.95	2.50	4.88		4.88								4.88	0.00	0.00	
						1.95																
壁下地	柱型	軽鉄下地 W=50 @303		k20	25	26	1.45	2.50	3.63		3.63								3.63	0.00	0.00	
						0.84								0.61								
壁下地	柱型	軽鉄下地 W=50 @303		k21	27	28	0.98	2.50	2.45		2.45								2.45	0.00	0.00	
						0.84								0.14								
壁下地	柱型	軽鉄下地 W=50 @303		k22	29	30	0.79	2.70	2.13		2.13								2.13	0.00	0.00	
						0.07								0.72								
壁下地	柱型	軽鉄下地 W=50 @303		k23	31	32	1.10	2.50	2.75		2.75								2.75	0.00	0.00	
						0.62								0.48								
壁下地	フカシ壁	軽鉄下地 W=50 @303		k24	33		4.52	2.50	11.30		11.30								11.30	0.00	0.00	
						4.52																
壁下地	フカシ壁	軽鉄下地 W=50 @303		k25	34		3.06	2.50	7.65	3.59	4.06	9.60	4	2.30	1.56	1			4.06	9.60	0.00	
						3.06																
壁下地	柱型	軽鉄下地 W=50 @303		k26	35	36	0.67	2.50	1.68		1.68								1.68	0.00	0.00	
						0.57								0.10								
壁下地	フカシ壁	軽鉄下地 W=50 @303		k27	37		3.53	2.50	8.82	2.92	5.90	6.39	3	1.39	2.10	1			5.90	6.39	0.00	
						3.53																

壁下地積算書	すべての図面
某病院 新棟増築工事	20XX/XX/XX

分類 (部屋)	部位	仕様	規格・寸法	記号	辺番号/長さ/(壁高)			長さ	高さ	面積	開口 面積	実 面積	補強 M	開口寸法				先行 金物	倍数	実数量					
														補強タイプ / W×H×処 / (補強高) ↓						補強タイプ / W×H×処 / (補強高) ↓				面積	補強 M
壁下地	壁	軽鉄下地 W=65 @303		k28	38	39		4.08	2.50	10.21	1.08	9.13	6.20	4	0.60	1.80	1						9.13	6.20	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k29	40			5.80	2.50	14.50	5.57	8.93	9.40	3	2.80	1.99	1						8.93	9.40	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k31	41	42		2.84	2.50	7.10	3.60	3.50	6.80	3	1.80	2.00	1						3.50	6.80	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k32	43	44	45	6.99	2.50	17.48	4.40	13.08	7.20	3	2.20	2.00	1						13.08	7.20	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k33	46			3.04	2.50	7.60	1.79	5.81	6.78	3W	0.89	2.01	1						5.81	6.78	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k34	47	48		2.88	2.50	7.21	0.25	6.96	6.00	4	0.50	0.50	1						6.96	6.00	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @455		k35	49			0.75	2.50	1.88		1.88											1.88	0.00	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k36	50	51		2.79	2.50	6.98	1.79	5.19	6.78	3W	0.89	2.01	1						5.19	6.78	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @455		k37	52	53		1.76	2.50	4.40	1.41	2.99	5.70	3	0.70	2.01	1						2.99	5.70	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k38	54	55		2.92	2.50	7.30		7.30											7.30	0.00	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k39	56	57		1.62	2.50	4.06		4.06											4.06	0.00	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k40	58	59		1.73	2.50	4.33		4.33											4.33	0.00	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k41	60			2.05	2.50	5.13	1.60	3.53	6.60	4	0.80	2.00	1						3.53	6.60	0.00
				壁高→																					
壁下地	壁	軽鉄下地 W=65 @303		k42	61			0.17	2.50	0.43		0.43											0.43	0.00	0.00
				壁高→																					

壁下地積算書	すべての図面
某病院 新棟増築工事	20XX/XX/XX

分類 (部屋)	部位	仕様	規格・寸法	記号	辺番号/長さ/(壁高)			長さ	高さ	面積	開口 面積	実 面積	補強 M	開口寸法				先行 金物	倍数	実数量						
														補強タイプ / W×H×処 / (補強高) ↓						補強タイプ / W×H×処 / (補強高) ↓				面積	補強 M	先行 金物
壁下地	壁	軽鉄下地 W=65 @303		k43	62			2.06	2.50	5.15	1.60	3.55	6.60	4	0.80	2.00	1							3.55	6.60	0.00
				壁高→																						
壁下地	壁	軽鉄下地 W=65 @303		k44	63			0.16	2.50	0.40		0.40												0.40	0.00	0.00
				壁高→																						
壁下地	壁	軽鉄下地 W=90 @455		k46	64			2.57	2.50	6.43		6.43												6.43	0.00	0.00
				壁高→																						
壁下地	壁	軽鉄下地 W=65 @303		k47	65	66		1.11	2.50	5.18		5.18												5.18	0.00	0.00
				壁高→																						
壁下地	フカシ壁	軽鉄下地 W=50 @303		k48	67			1.02	2.50	2.55		2.55												2.55	0.00	0.00
				壁高→																						
壁下地	フカシ壁	軽鉄下地 W=50 @303		k49	68			0.46	2.50	1.15		1.15												1.15	0.00	0.00
				壁高→																						
壁下地	フカシ壁	軽鉄下地 W=50 @303		k50	69	70		0.79	2.50	2.18		2.18												2.18	0.00	0.00
				壁高→																						
壁下地	柱型	軽鉄下地 W=50 @303		k51	71	72		0.09	2.50	1.88		1.88												1.88	0.00	0.00
				壁高→																						
壁下地	ライニング	軽鉄下地 W=65 @455		k52	73	74	75	0.12	1.20	0.98		0.98												0.98	0.00	0.00
				壁高→																						
壁下地	ライニング	軽鉄下地 W=65 @455		k53	76	77		0.12	0.60	0.99		0.99												0.99	0.00	0.00
				壁高→																						
壁下地	ライニング	軽鉄下地 W=65 @455		k54	78	79		1.55	0.60	1.00		1.00												1.00	0.00	0.00
				壁高→																						
壁下地	ライニング	軽鉄下地 W=65 @455		k55	80	81		0.69	1.20	0.97		0.97												0.97	0.00	0.00
				壁高→																						
壁下地	ライニング	軽鉄下地 W=65 @455		k56	82			1.32	1.20	1.58		1.58												1.58	0.00	0.00
				壁高→																						
壁下地	ライニング	軽鉄下地 W=65 @455		k57	83			1.95	0.60	1.17		1.17												1.17	0.00	0.00
				壁高→																						

壁下地積算書	すべての図面
某病院 新棟増築工事	20XX/XX/XX

分類 (部屋)	部位	仕様	規格・寸法	記号	辺番号／長さ／(壁高)	長さ	高さ	面積	開口 面積	実 面積	補強 M	開口寸法				先行 金物	倍数	実数量		
												補強タイプ / W×H×処 / (補強高)↓		補強タイプ / W×H×処 / (補強高)↓				面積	補強 M	先行 金物
壁下地	ラインング	軽鉄下地 W=65 @455		k58	84 0.87	0.87	1.20	1.04		1.04								1.04	0.00	0.00
壁下地	壁	軽鉄下地 W=65 @303		k59	85 0.73	0.73	2.50	1.83	1.41	0.42	6.40	3W	0.70	2.01	1			0.42	6.40	0.00
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															
					壁高→															